EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	3326	380/28 or 380/259 or 380/201	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/06 16:25
L3	3832	382/293-296 or 382/100	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/06 16:26
L4	1227	713/189 or 713/193-194	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/06 16:26
L5	7850	2 or 3 or 4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/06 16:26
L6	50	5 and (stegano$1graphy or cryptograp$3) and LFSR	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/06 16:27
L7	106	5 and (stegano$1graphy or cryptograp$3) and contour	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/06 16:28
L8	1290	5 and (stegano$1graphy or cryptograp$3) and (contour or area)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/06 16:28
L9	182	5 and (stegano$1graphy or cryptograp$3) same (contour or area)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/06 16:28
L10	78	5 and (stegano$1graphy or cryptograp$3) with (contour or area)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/06 16:28
S1	2	E$1G2000	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/31 18:04
S2	1	(cryptograph$ and graphic) and PNSG and LFSR	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/04 15:34

S3	1	(cryptograph$ and graphic) and PNSG	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/04 15:34
S4	21	(cryptograph$ and graphic) and LFSR	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/04 15:36
S5	122	(cryptograph$ and graphic) and contour$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/04 15:52
S6	3	bressenham	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/04 15:40
S7	1	(cryptograph$ and graphic) and bressenham	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/04 15:40
S8	121	((cryptograph$ and graphic) and contour$2) and line$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/04 15:44
S9	0	(cryptograph$ and graphic) and three$1dim	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/04 15:45
S10	76	G1000	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/04 15:52
S11	1	(cryptograph$ and graphic) and G1000	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/04 15:53
S12	1	((cryptograph$ and graphic) and contour$2) and pole$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/04 15:54
S13	1	G2000 and (cryptograph$3 or cipher$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/04 15:58
S14	2	E$1G2000$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/04 15:59

EAST Search History

S15	4	cryptograph$ and (graphic adj algorithm$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/04 16:08
S16	29497	"380".CLAS. or "713".CLAS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/04 16:08
S17	3	("380".CLAS. or "713".CLAS.) and (graphic adj algorithm$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/04 16:15
S18	2	(cryptograph$ and (graphic adj algorithm$2)) and (contour$2 or area$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/05 10:31
S19	914	(cryptograph$ and encrypt$ and graphic) and (contour$2 or area$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/05 10:36
S20	5	cryptograph$ and (graphic adj (method$2 or mechanism$2 or algorithm$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/05 11:30
S21	1625	(scan or sonar or radar) and cryptograph$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/05 11:32
S22	1375	(scan or sonar or radar) and cryptograph$ and encrypt$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/05 11:32
S23	51	(scan or sonar or radar) and cryptograph$ and encrypt$ and array and coordinate$ and pole$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/05 11:36
S24	30	(scan or sonar or radar) and cryptograph$ and encrypt$ and array and coordinate$ and pole$ and LFSR	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/05 11:36
S25	476	stegano$1graphy	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/06 13:37
S26	38	(stegano$1graphy and cryptograph$) and (sweep or swept)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/06 13:59

S27	37	(stegano$1graphy and cryptograph$) and (sweep or swept) and (contour$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/06 14:00
S28	1064	(cryptograph$ and graphic) and (contour$2 or area$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/09 16:18
S29	190	(stegano$1graphy and cryptograph$) and dimension$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/13 11:31
S30	244	stegano$1graphy and cryptograph$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 08:22
S31	1	(stegano$1graphy and cryptograph$) and (cell adj array$2) and (coordinate$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 08:24
S32	1	(stegano$1graphy and cryptograph$) and (cell adj array$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 08:24
S33	137	(stegano$1graphy and cryptograph$) and (array$2) and (coordinate$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 08:28
S34	94	(stegano$1graphy and cryptograph$) and (array$2) and (coordinate$2) and (contour$2) and (line$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 13:22
S35	0	((stegano$1graphy and cryptograph$) and (array$2) and (coordinate$2) and (contour$2) and (line$2)) and pole$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 13:17
S36	3	(stegano$1graphy and cryptograph$) and pole$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 13:20
S37	76	(graphic$2 and cryptograph$) and pole$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 13:23
S38	114	(graphic$2 and cryptograph$) and (array$2) and (coordinate$2) and (contour$2) and (line$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 16:16

EAST Search History

S39	1	(graphic$2 and cryptograph$) and (array$2) and (coordinate$2) and (contour$2) and (line$2) and (pole$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 13:21
S40	0	(stegano$1graphy and cryptograph$) and pole$2 and (contour$2) and (line$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 13:22
S41	2	(graphic$2 and cryptograph$) and pole$2 and array$2 and contour$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 13:23
S42	53	(graphic$2 and cryptograph$) and pole$2 and array$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 13:26
S43	76	(graphic$2 and cryptograph$) and pole$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 13:26
S44	94	(stegano$1graphy and cryptograph$) and (array$2) and (coordinate$2) and (contour$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 13:39
S45	456	(graphic$2 and cryptograph$) and (three or "3") adj dimension$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 16:17
S46	397	(graphic$2 and cryptograph$) and (three) adj dimension$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 16:17
S47	49	((graphic$2 and cryptograph$) and (three or "3") adj dimension$) and (contour$2 or encircl$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 16:19
S48	1286	cryptograph$ and graphic	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/12 15:03
S49	257	(cryptograph$ and graphic) and ((plot$2 or draw$2) with line$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/12 15:04
S50	40	((cryptograph$ and graphic) and ((plot$2 or draw$2) with line$2)) and (sweep$2 or swept)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/12 16:44

S51	1	(cryptograph$ and graphic) and Bressenham	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/12 15:07
S52	2	Bressenham adj algorithm$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/12 15:07
S53	1	"20020112159".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/12 16:46
S54	1	"20010034848".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/12 16:46
S55	14	(stegano$1graphy and cryptograph$) and sweep$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/13 14:00
S56	138	("380".CLAS.) and LFSR	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/13 14:02
S57	0	("380".CLAS.) and LFSR and steganography	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/13 13:58
S58	2	(stegano$1graphy and cryptograph$) and LFSR	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/13 14:01
S59	2	(stegano$1graphy) and LFSR	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/13 14:01
S60	221	(cryptograph$) and LFSR	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/13 14:01
S61	65	("380".CLAS.) and LFSR and (polynomial)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/13 14:39
S62	4	("380".CLAS.) and LFSR and (prime with polynomial)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/13 14:34

EAST Search History

S63	0	("380".CLAS.) and encrpt$3 and LFSR and (prime with polynomial)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/13 14:39
S64	50	("380".CLAS.) and LFSR and (encrypt$3) and (polynomial)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/13 14:53
S65	10	("380".CLAS.) and LFSR and (encrypt$3) and (polynomial) and seed	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/13 14:53
S67	0	(graphic$3 adj automat$3) with (cryptograph$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/30 16:52
S68	0	(graphic$3 adj automat$3) same (cryptograph$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/30 16:52
S69	0	(graphic$3 adj automat$3) and (cryptograph$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/30 16:52
S70	60	(graphic$3 adj automat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/30 16:52
S71	1	S70 and encrypt$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/30 16:53
S72	221	(computer adj graphic$3) and (cryptograph$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/31 18:05
S73	0	S72 and translocation$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/31 18:05

EAST Search History

S74	182	S72 and random$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/31 18:06
S75	108	S72 and (pseudo adj random$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/31 18:05
S76	1	S72 and (random$3 with distance$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/31 18:07
S77	5	S72 and (random$3 same distance$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/31 18:09
S78	119	S72 and (random$3 and distance$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/31 18:09
S79	35	S72 and (random$3 and distance$3 and pole$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/31 18:10
S80	0	S72 and ((random$3 with distance$3) and pole$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/31 18:11
S81	0	S72 and ((random$3 same distance$3) and pole$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/31 18:11
S82	35	S72 and ((random$3 and distance$3) and pole$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/04/01 09:21